

(DM 21)

Assignment 1

M.Sc. DEGREE EXAMINATION,
DECEMBER 2020.
Second Year
Mathematics

TOPOLOGY AND FUNCTIONAL ANALYSIS

MAXIMUM MARKS: 30

ANSWER ALL QUESTIONS

1. Let T_1 and T_2 be two topologies on a non-empty set X , and show that $T_1 \cap T_2$ is also a topology on X .
2. Show that a subset of a topological space is dense \Leftrightarrow it intersects every non-empty open set.
3. Prove that a closed subspace of a complete metric space is compact \Leftrightarrow it is totally bounded.
4. Prove that any continuous mapping of a compact metric space into a metric space is uniformly continuous.
5. State and prove Ascoli's theorem.
6. Prove that a metric space is compact \Leftrightarrow it is totally bounded and complete.
7. Show that any finite T_1 -space is discrete.

Prove that a topological space is a T_1 -space \Leftrightarrow each point is a closed set.

8. State and prove a generalization of Tietze's theorem which relates to functions whose values lie in \mathbb{R}^n .

State and prove Urysohn's lemma.

M.Sc. DEGREE EXAMINATION,
DECEMBER 2020.
Second Year
Mathematics

TOPOLOGY AND FUNCTIONAL ANALYSIS

MAXIMUM MARKS: 30

ANSWER ALL QUESTIONS

1. Define Banach Space and give some examples.

Let N and N' be normed linear space and T a linear transformation of N into N' . Then show that the following conditions on T are all equivalent to one another :

- (i) T is continuous.
- (ii) T is continuous at the origin, in the sense that $x_n \rightarrow 0 \Rightarrow T(x_n) \rightarrow 0$.
- (iii) There exist a real number $K \geq 0$ with the property that $\|T(x)\| \leq K\|x\|$ for every $x \in N$.
- (iv) If $S = \{x : \|x\| \leq 1\}$ is closed unit space in N , then its image $T(S)$ is bounded set in N' .

2. State and prove open mapping theorem.

State and prove closed graph theorem.

3. Show that the parallelogram law is not true in l_1^n ($n > 1$).
4. State and prove the Uniform Boundedness Theorem.
5. Show that $\|TT^*\| = \|T\|^2$. State and prove Bessel's inequality.
6. State and prove Bessel's inequality.
7. If P and Q are the projections on a closed linear subspaces M and N of H , prove that PQ is a projection if and only if $PQ = QP$. In this case, show that PQ is the projection on $M \cap N$.
8. If T is an operator on H for which $(T_{x,x}) = 0$ for all x , then prove that $T = 0$.

(DM 22)

Assignment 1

M.Sc. DEGREE EXAMINATION,
DECEMBER 2020.

Second Year

Mathematics

MEASURE AND INTEGRATION

. MAXIMUM MARKS: 30

ANSWER ALL QUESTIONS

1. (a) Prove that every subset of a finite set is finite.
(b) If a real-valued function f is defined and continuous on a closed and bounded set F of real numbers, then show that it is uniformly continuous on F .
2. (a) Prove that the interval (a, ∞) is measurable.
(b) Let $\langle E_i \rangle$ be a sequence of measurable sets, then prove that $m(\bigcup E_i) \leq \sum mE_i$ and if E_i are pair wise disjoint, then prove that $m(\bigcup E_i) = \sum mE_i$.
3. (a) State and prove Lusin's theorem.
(b) Let D and E be measurable sets and f a function with domain $D \cup E$, then show that f is measurable if and only if its restrictions to D and E are measurable.
4. (a) Let f be bounded function defined on $[a, b]$. If f is Riemann integrable on $[a, b]$, then show that it is measurable and
$$R \int_a^b f(x) dx = \int_a^b f(x) dx .$$

(b) State and prove Monotone Convergence theorem.
5. (a) Let f be integrable over E . Then show that, for given $\epsilon > 0$, there is a simple function φ such that $\int_E |f - \varphi| < \epsilon$.
(b) Show that if $\langle f_n \rangle$ is a sequence that converges to f in measure, then each subsequence $\langle f_{n_k} \rangle$ converges to f in measure.

Assignment 2

(DM 22)

M.Sc. DEGREE EXAMINATION,
DECEMBER 2020.

Second Year

Mathematics

MEASURE AND INTEGRATION

MAXIMUM MARKS: 30

ANSWER ALL QUESTIONS

1. (a) If f is continuous on $[a, b]$ and one of its derivatives (say D^+) is everywhere nonnegative on (a, b) , then show that f is non-decreasing on $[a, b]$; i.e $f(x) \leq f(y)$ for $x \leq y$.

(b) If f be integrable function on $[a, b]$ and suppose that $F(x) = F(a) + \int_a^x f(t) dt$, then prove that $F'(x) = f(x)$ for almost all x in $[a, b]$.
2. (a) State and prove Holder inequality.

(b) Given $f \in L^p, 1 \leq p < \infty$ and $\varepsilon > 0$, then prove that there is a step function φ and continuous function ψ such that $\|f - \varphi\|_p < \varepsilon$ and $\|f - \psi\|_p < \varepsilon$.
3. (a) If $E_i \in \mathfrak{B}$, then prove that $\mu\left(\bigcap_{i=1}^{\infty} E_i\right) \leq \sum_{i=1}^{\infty} \mu E_i$.

(b) Suppose that to each α in a dense set D of real numbers there is assigned a set $B_\alpha \in \mathfrak{B}$ such that $\mu(B_\alpha \sim B_\beta) = 0$ for $\alpha < \beta$. The prove that there is measurable function f on X such that $f \leq \alpha$ a.e on B_α and $f \geq \alpha$ a.e. on $X \sim B_\alpha$.
4. State and prove Hahn Decomposition theorem.
5. State and prove Caratheodory theorem.

Assignment 1

M.Sc. DEGREE EXAMINATION, DECEMBER 2020.

Second Year

Mathematics

ANALYTICAL NUMBER THEORY AND GRAPH THEORY

MAXIMUM MARKS: 30

ANSWER ALL QUESTIONS

1. (a) For all $x \geq 1$, prove that $\sum_{n \leq x} \sigma_1(n) = \frac{1}{2} \zeta(2)x^2 + O(x \log x)$ Prove that $\sum_{n \leq x} \sigma_\alpha(n) = \frac{\zeta(\alpha+1)}{\alpha+1} x^{\alpha+1} + O(x^\alpha)$, where $\beta = \max\{1, \alpha\}$
(b) State and prove Euler's summation formula.
2. (a) For all $x > 2$, Prove that $\sum_{p \leq x} \left[\frac{x}{p} \right] \log p = x \log x + o(x)$ where the sum is extended over all primes $\leq x$.
(b) State and prove Legendre's identity.
3. (a) State and prove Shapiro's Tauberian theorem.
(b) For a $x \geq 2$, Prove that $v(= \pi(x) \log x - \int_2^x \frac{\pi(t)}{t} dt$ and $\pi(x) = \frac{v(x)}{\log x} + \int_2^x \frac{v(t)}{t \log^2 t} dt$.
4. (a) Prove that the prime number theorem implies $\lim_{n \rightarrow \infty} \frac{M(x)}{x} = 0$
(b) State and prove Selbergs asymptotic formula.
5. (a) Prove that, In a connected graph G with exactly $2k$ odd vertices, there exist k edge-disjoint subgraphs such that they together contain all edges of G and that each is a unicursal graph.
(b) Prove that, a complete graph with n vertices there are $(n - 1)/2$ edge-disjoint Hamiltonian circuits ,if n is an odd number ≥ 3 .

Assignment 2

(DM 23)

M.Sc. DEGREE EXAMINATION, DECEMBER 2020.
Second Year
Mathematics

ANALYTICAL NUMBER THEORY AND GRAPH THEORY

MAXIMUM MARKS: 30

ANSWER ALL QUESTIONS

1. (a) Explain Traveling-Salesman problem.
(b) Prove that, an Euler graph G is arbitrary traceable from vertex y in G if and only if every circuit in G contains v .
 2. (a) Prove that, In any tree(with two or more vertices) , there are at least two pendent vertices.
(b) Prove that, every connected graph has at least one spanning tree.
 3. (a) Prove that, a vertex v in a connected graph G is a cut-vertex if and only if there exist two vertices x and y in G such that every path between x and y passes through v .
(b) Prove that, the vertex connectivity of any graph G can never exceeds the edge connectivity of G .
 4. (a) Prove that, any simple planar graph can be embedded in a plane such that every edge is drawn as a straight line segment.
(b) Prove that , a connected graph with n vertices and e edges has $e - n + 2$ regions.
 5. (a) Prove that ,the set consisting of all the cut-sets and the edge-disjoint union of cut-sets in a graph G is an abelian group under the ring sum operation.
(b) Explain basis vectors of a graph.
-

(DM 24)

Assignment 1

M.Sc. DEGREE EXAMINATION,
DECEMBER 2020.

Second Year

Mathematics

RINGS AND MODULES

MAXIMUM MARKS: 30

ANSWER ALL QUESTIONS

1. (a) Show that Boolean algebra becomes a completed distributive lattice by defining $a \vee b = (a' \wedge b)'$, $1 = 0'$.
- (b) Show that in any Boolean ring, we have the identities $a + a = 0$, $ab = ba$.
2. (a) Prove that the endomorphisms of an abelian group form a ring if addition is defined in a natural way.
- (b) If A , B and C are additive subgroups of R then prove that $(AB)C = A(BC)$.
Moreover
$$AB \subset C \Leftrightarrow C : B$$
$$\Leftrightarrow B \subset A : C.$$
3. (a) Prove that the central idempotents of a ring R form a Boolean algebra $B(R)$.
- (b) If S is a sub-ring of R and K is an ideal, show that $(S + K)/K \cong S/(S \cap K)$.
4. (a) Let R be commutative ring, prove that the following are equivalent
 - (i) R has unique prime ideal P .
 - (ii) R is local and $\text{Rad}R = \text{rad}R$.
 - (iii) non-units are zero-divisors.
 - (iv) R is primary and all non-units are zero-divisors.
- (b) Show that the ring of $n \times n$ matrices over a field is a regular ring.

5. (a) Prove the following statements concerning the commutative ring R are equivalent.
- (i) Every irreducible fraction has domain R .
 - (ii) For every f there exist an element $s \in R$ such that $fd = sd$ for all $d \in D$, the domain of f .
 - (iii) $Q(R) \cong R$ canonically.
- (b) Determine all prime and maximal ideals as well as both radicals of $Z(n)$, the ring of integers modulo n .

M.Sc. DEGREE EXAMINATION,
DECEMBER 2020.

Second Year

Mathematics

RINGS AND MODULES

MAXIMUM MARKS: 30

ANSWER ALL QUESTIONS

1. (a) If A_R is an irreducible module, then its ring of endomorphisms $D = \text{Hom}_R(A, A)$ is a division ring.
(b) Show that a prime ring with a minimal right ideal is (right) primitive.
2. (a) Prove that, the radical is the largest ideal K such that, for all $r \in K$.
(b) If K and P are ideals such that $K \subset P \subset R$, show that P/K is prime if and only if P is prime.
3. (a) Prove that, a vector space is completely reducible.
(b) If R is right Artinian then, prove that $\text{Rad } R = \text{rad } R$.
4. (a) Prove that, every R -module is projective if and only if R is completely reducible.
(b) Prove that, M is projective if and only if every ephimorphism $\pi: B \rightarrow M$ is direct.
5. (a) Show that every R -module is injective if and only if R is completely reducible.
(b) Prove that, M is injective if and if only M has no proper essential extension.